O/o Divisional Engineer/Internal

Circus Telephone Exchange 10/1 Hungerford Street Kolkata – 700 017

Phone: (033) 2290 1010 Fax: (033) 2280 1010



भारत संचार निगम लिमिटेड

BHARAT SANCHAR NIGAM LIMITED

A Govt. of India Enterprise)

No: CIRCUS/BLDG/COVID-19/01

Dated: 12-06-2020

To
The Nodal Officer
COVID-19 control Room
BSNL
Calcutta Telephones

Subject: Detection of Corona Positive case within office premises – reg.

Dear Sir.

This is to intimate you that, one CODIV-19 positive case has been detected within Circus Telephone exch employees. Mr. Rabin Rajak (HRNo – 200007117) under SDE/Extl/Zone 4-5-6 , working at Circus /MDF has been tested positive for corona virus on 12-06-2020 afternoon. He has been detected covid positive & hospitalized as per information received from him. He attended MDF/Office on 07-06-2020 and worked at MDF with other employees before he took leave due to symptoms. In this situation employees are got panicked and waiting eagerly for appropriate guideline from BSNL competent authority & control room.

Office is being sanitized by sodium hypochlorite solution & spraying cylinder, sanitizer/mask & gloves are provided to security & employees from concerned sections. Thermal Scanner/infrared thermometer is also installed at Circus Main exch gate.

Despite of these precautionary measures a positive case detected among the employees and this is an alarming situation for all other staff attending the office. Hence appropriate action/guideline is highly required in this emergency situation.

The staff list with contact/proximity with the affected within his office presence last day is given below –

Name	Designation	HRNo	Place of posting		
Amalendu Biswas	DE/Circus	200304278	Circus Exch		
Rupam Chatterjee	JTO/M&C	201000947	MDf/Circus		
Debabrata Naru	JTO/Extl/Circus	201001099	Circus/Extl		
Bipin Ch Pal	JTO/Extl/Circus	200900111	Circus/Extl		

Susanta Mandal	TT/Circus/MDF	200007485	Circus/MDF		
Prosenjit Dey	TT/TTC	200009805	Circus/Extl		
Prabhat Kumar Sharma	JTO/CSC/CCN	200903668	Circus/CSC		

Date: 12-06-2000

Place: Kolkoba-17.

Thanking you

RUPAM CHATTERJEE SDE/M&C /Circus

Sub. Divisional Engineer + Circus Mtce. Control BSNL, Calcutta Telephones 10/1, Hungerford St. Kolkata-17

Copy to:

1. DGM/NWO/BA-EAST

2. AGM/Admin/BA-EAST

3. DE/Circus

4. Office copy

Elmfor WADY.

Divisional Engineer CIR/INTL/MTCE

BSNL, Calcutta Telephones 10/1, Hungerford St., Kol-700017

N	a	m	е	Fathers Name	HR	No	Des	signat	ion	Mob.No	Α	d	d	r	е	s	S
Ra	bir	Raj	ak	- 4 2 2	20000	07117	Α	T	Т	9477460949	В	h a	w a	n	i p	0 1	r e

It is not unlikely to apprehended that the official got infected with Covid-19 in his residential area. The sample collected for Covit-19 test on 10-06-2020 and the report declared him as covid positive on 12-06-2020.

DE/CIRCUS

Divisional Engineer CIR / INTL / MTCE BSNL, Calcutta Telephones 10/1, Hungerford St., Kol-700017 SDE/CIRCUS/M&C

Sub. Divisional Engineer
Circus Mtce. Control
BSNL, Calcutta Telephones
10/1, Hungerford St. Kolkata-17

Annexure III (No Change in this proforma)

Format for reporting cases of COVID-19 infection as on Dated: 12.06.2020

S. No	Name of LSA/State /UT	of Unit/TS	employe	Designati on of affected employe e	Address/plac	Address of affected	Contact number of the affected employee	Contact number of controling officer of the affected	Email-id of controling officer of the affected
1	Kolkata TD	BSNL	Rabin Rajak	АТТ	Circus Tepephone Exchange, 10/1 Hungerford Street Kolkata -	Bhawanip ore	9477460949	Bipin Chandra Pal SDE/CIR/EXTL/ZONE - 4-5-6 8902001186	chandrabipinpal @gmail.com

Total

Additional rows may be added if required.

JW Jon MIN Pr.

Divisional Engineer CIR/INTL/MTCE BSNL, Calcutta Telephones 10/1, Hungerford St., Kol-700017 Signature

Name of the officer RURAM CHARTERDEE

Designation SDETCIRIMER

LSA BA-EAST.

MOB: 9432001494

Sub. Divisional Engineer Circus Mtce. Control BSNL. Calcutta Telephones 10/1, Hungerford St. Kolkata-17